


MS2M

mSATA SSD to SATA RAID Adapter

Product > SSD Storage Adapter> MS2M



Function

- ◆ Allows user to use standard SATA-IO mSATA SSD to SATA hard drive in the Desktop.
- ◆ Support Hi-Speed SATA3 / 6Gbps mass storage interface.
- ◆ Support software RAID 0/1/5/10.
- ◆ Support OS RAID and Mother-Board RAID 0/1/5/10.
- ◆ PCB board can be stacking.

Specification


- ◆ Serial ATA Spec. Reversion 3.2
- ◆ Compatible with Full/Half card dimension size of MINI SATA SSD Module.

System Requirements:



- ◆ Desktop PC with an available SATA slot.
- ◆ Available PCIe slot/2.5" hard drive space/3.5" hard drive space.
- ◆ Windows, Vista 32/64, Windows 7, Windows 8, Windows 10 Windows server 2008/2010/2012 or Linux.

Use Case



MS2M-2



MS2M-4




MS2M-CT43



MS2M-CT45




MS2M-2 Package Contents




M2S4C-2
(Dual mSATA to SATA RAID Adapter) x1



Y07-S04-040
(SATA3 cable 40cm) x2



Y15-V03-015
(15 Pin SATA Male to 2 IDE Splitter Female Power Cable 15cm) x1




JP0155
(Standard Height PCI express bracket) x1




Screw x4


MS2M-4 Package Contents




MS2M-4
(Quad mSATA to SATA RAID Adapter) x1



Y07-S04-040
(SATA3 cable 40cm) x4



Y15-V03-015
(15 Pin SATA Male to 2 IDE Splitter Female Power Cable 15cm) x2




JP0155
(Standard Height PCI express bracket) x1



Screw x8


MS2M-CT43 Package Contents



MS2M-CT43
(Quad mSATA to SATA RAID Adapter) x1



Y07-S04-040
(SATA3 cable 40cm) x4



Y15-V03-015
(15 Pin SATA Male to 2 IDE Splitter Female Power Cable 15cm) x2



CT43 Screw x8



Screw x8


MS2M-CT45 Package Contents



MS2M-CT45
(Quad mSATA to SATA RAID Adapter) x1



Y07-S04-040
(SATA3 cable 40cm) x4



Y15-V03-015
(15 Pin SATA Male to 2 IDE Splitter Female Power Cable 15cm) x2



CT45 Accessory Screw Kit x1



Screw x8